

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	11690	liquid with level with sensor	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/29 08:10
L2	12	1 and (insulated adj2 probe)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/29 08:12
L3	988	340/620	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/29 08:12
L4	17	3 and (insulated adj2 probe)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/29 08:13
L5	16	4 and (conducting conductive)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/29 08:14
L6	1048	340/618	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/29 08:14
L7	10	6 and (insulated adj2 probe)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/29 08:14
L8	381	340/619	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/29 08:15
L9	1	8 and (insulated adj2 probe)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/29 08:15
L10	381	340/619	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/29 08:15
L11	1	10 and (insulated adj2 probe)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/29 08:15
L12	374	340/621	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/29 08:15

L13	2	12 and (insulated adj2 probe)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/29 08:15
L14	443	340/624	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/29 08:15
L15	2	14 and (insulated adj2 probe)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/29 08:15
L16	2	340/623 and (insulated adj2 probe)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/29 08:15
L17	3	340/627 and (insulated adj2 probe)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/29 08:15
L18	4	340/612 and (insulated adj2 probe)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/29 08:15
L19	983	73/290r	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/29 08:16
L20	5	19 and (insulated adj2 probe)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/29 08:16
L21	421	73/291	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/29 08:16
L22	12680430	21 and (insulated adj2 probe)C	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/29 08:16
L23	2	21 and (insulated adj2 probe)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/29 08:16
L24	717	73/304r	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/29 08:16

L25	11	24 and (insulated adj2 probe)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/29 08:16
L26	10	1 and (bias with voltage with circumferential with ring)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/29 08:17
L27	121	1 and (polarity with opposite)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/29 08:17
L28	82	27 and (conductive conducting)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/29 08:18
L29	0	28 and polarit	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/29 08:18
L30	82	28 and polarity	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/29 08:18
L31	3	30 and (exposed with tip)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/29 08:18
L32	233	1 and (conductive adj2 liquid)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/29 08:19
L33	1	32 and (exposed with tip with contact)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/29 08:19
L34	5	1 and (probe with conducting with tip with voltage with bias)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/29 08:20